



Industrial Mini PC



M-Series



M3

CPU: Intel 4th/ 6th/ 7th Gen Core i3/ i5/ i7/ Celeron
Memory: 1*DDR3 slot/ 1*DDR4 slot (Refer to the CPU)
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux
Network: 1*Realtek RTL8168/ 8111/ 8112 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 173*127*39mm
I/O: 1*12V DC in/ 2*USB 2.0/ 4*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 1*RJ45 Giga LAN/ 1*MIC/ 1*SPK



M3-4LAN

CPU: Intel Celeron J1900/ N5095
Memory: 1*DDR3 slot(J1900)
 1*DDR4 slot(N5095)
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux
Network: 4*Intel i210 Giga LAN(J1900 Optional)/ 4*Intel i225V 2.5G LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 173*127*39mm
I/O: 1*12V DC in/ 2*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 4*RJ45 LAN/ 1*RST



M3-2COM

CPU: Intel 4th/ 5th Gen Core i3/ i5/ Celeron
Memory: 1*DDR3 slot/ 1*DDR4 slot (Refer to the CPU)
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux
Network: 2*Realtek RTL8168/ 8111/ 8112 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 173*127*39mm
I/O: 1*12V DC in/ 4*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 2*RJ45 Giga LAN/ 2*RS232 COM/ 1*Audio Jack





M3-2HD

CPU: Intel Celeron N3150/ N3160/ J3160/ N3700
Memory: 1*DDR3 slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux
Network: 2*Realtek RTL8111 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 173*127*39mm
I/O: 1*12V DC in/ 2*USB 2.0/ 4*USB 3.0/ 2*HDMI 1.4/ 2*RJ45 Giga LAN/ 1*MIC/ 1*SPK/ 1*embedded SIM card slot onboard(optional)



M3-2LAN

CPU: Intel Celeron J1800/ J1900/ J6412/ N2810/ N2840
Memory: 1*DDR3 slot/ 1*DDR4 slot (Refer to the CPU)
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux
Network: 2*Realtek RTL8168/ 8111/ 8112 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 173*127*39mm
I/O: 1*12V DC in/ 3*USB 2.0/ 1*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 2*RJ45 Giga LAN/ 1*MIC/ 1*SPK



M4

CPU: Intel Celeron J4125/ N4100
Memory: 1*DDR4 slot
Storage: 1*M.2 NVME SSD slot
 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux
Network: 2*Realtek RTL8168/ 8111/ 8112 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 135*127*38.7mm
I/O: 1*12V DC in/ 2*USB 2.0/ 2*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 2*RJ45 LAN/ 2*RS232 COM/ 1*Audio Jack



M4A

CPU: Intel N100/ Celeron J6412/ J6426
Memory: 1*DDR4 slot
Storage: 1*M.2 NVME SSD slot
 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux/ WES 10
Network: 2*Realtek RTL8111 Giga LAN
WIFI: 1*M.2 2230 slot
Fan: Fanless
Size: 135*127*38.7mm
I/O: 1*12V DC in/ 2*USB 2.0/ 2*USB 3.0/ 2*HDMI 1.4/ 1*DP1.4/ 2*RJ45 Giga LAN/ 2*DB9 RS232 COM/ 1*MIC/ 1*SPK



M4B

CPU: Intel N100/ Celeron J6426
Memory: 1*DDR4 slot
Storage: 1*M.2 NVME SSD slot
 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux/ WES 10
Network: 1*Realtek Giga LAN
WIFI: 1*M.2 2230 slot
Fan: Fanless
Size: 135*127*38.7mm
I/O: 1*12V DC in/ 6*USB 2.0/ 2*USB 3.0/ 2*HDMI 1.4/ 1*DP1.4/ 1*RJ45 Giga LAN/ 1*MIC/ 1*SPK



M4-4LAN

CPU: Intel Celeron J4125
Memory: 1*DDR4 slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 4*RJ45 Intel i225V/i226V 2.5G LAN
WIFI: 1*M.2 2230 slot
Fan: Fanless
Size: 135*127*38.7mm
I/O: 1*12V DC in/ 4*USB 2.0/ 2*USB 3.0/ 1*HDMI/ 4*RJ45 2.5G LAN/ 1*RS232 COM/ 1*embedded SIM card slot



M4-4LAN-2

CPU: Intel N100/ Celeron J6426/ J6412
Memory: 1*DDR4 slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 4*RJ45 Intel i225V/i226V 2.5G LAN
WIFI: 1*M.2 2230 slot
Fan: Fanless
Size: 135*127*38.7mm
I/O: 1*12V DC in/ 4*USB 2.0/ 2*USB 3.0/ 1*HDMI 2.0/ 1*DP1.4/ 4*RJ45 2.5G LAN/ 2*RS232 COM





M8A

CPU: Intel 6th/ 8th/ 10th Gen Core i3/ i5/ i7/ Celeron
Memory: 1*DDR4 slot(Celeron)
 2*DDR4 slot(Core)
Storage: 1*M.2 NVME SSD slot
 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux/ WES 10
Network: 2*Realtek RTL8111 Giga LAN
WIFI: 1*MSATA-half slot
Fan: Fanless
Size: 178.3*127.5*55.0mm
I/O: 1*12V DC in/ 4*USB 3.0/ 1*HDMI 2.0/ 1*HDMI 1.4/ 1*DP 1.2/ 2*RS232 COM/ 2*RJ45 LAN/ 1*MIC/ 1*SPK



M9

CPU: Intel Celeron N3160/ J3160/ J1900
Memory: 1*DDR3 slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux
Network: 2*Realtek RTL 8168/ 8111/ 8112 Giga LAN
WIFI: 1*Mini PCIE-half port slot
Fan: Fanless
Size: 136*126*43mm
I/O: 1*12V DC in/ 4*USB 2.0/ 2*USB 3.0/ 2*HDMI1.4/ 6*RS 232 COM/ 2*RJ45 Giga LAN/ 1*MIC/ 1*SPK

GK-Series



M9-2COM

CPU: Intel Celeron J1900
Memory: 1*DDR3 slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux
Network: 2*Realtek RTL 8168/ 8111/ 8112 Giga LAN
WIFI: 1*Mini PCIE-half port slot
Fan: Fanless
Size: 136*126*43mm
I/O: 1*12V DC in/ 3*USB 2.0/ 1*USB 3.0/ 1*VGA/ 1*HDMI1.4/ 2*RS 232 COM/ 2*RJ45 Giga LAN/ 1*MIC/ 1*SPK (2*COM can be replaced with 1*LPT)



GK1

CPU: Intel 4th/ 6th/ 8th/ 11th Gen Core i3/ i5/ i7
Memory: 2*DDR3 slot(4th)/ 2*DDR4 slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 2*Intel i225V 2.5G LAN
WIFI: 1*Mini PCIE-half port slot
Fan: Fanless
Size: 212.5*149.5*52mm
I/O: 1*12V DC in/ 4*USB 2.0/ 4*USB 3.0/ 1*VGA/ 1*HDMI1.4/ 6*RS 232 COM/ 2*RJ45 2.5G LAN/ 1*GPIO/ 1*MIC/ 1*SPK/ 1*embedded SIM card slot



GK

CPU: Intel 4th/ 5th/ 6th/ 8th/ 10th/
11th/ 12th Gen Core i3/ i5/ i7/ Celeron
Memory: 1*DDR3/ 2*DDR3/
2*DDR4(Refer to the CPU)
Storage: 1*M.2 NVME SSD slot
1*MSATA3.0 SSD slot
1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux
Network: 1*Realtek RTL 8168/ 8111/
8112 Giga LAN
WIFI: 1*Mini PCIE-half port slot
Fan: Fanless
Size: 234*150*43mm
I/O: 1*12V DC in/ 3*USB 2.0/ 4*USB
3.0/ 1*VGA/ 1*HDMI1.4/ 2*RS 232
COM/ 1*RJ45 Giga LAN/ 1*MIC/ 1*SPK



GK-4COM

CPU: Intel Core i5-3317U/ Celeron 1037U
Memory: 1*DDR3L slot
Storage: 1*MSATA3.0 SSD slot
1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux/
Windows XP
Network: 2*Realtek RTL 8168/ 8111/
8112 Giga LAN
WIFI: 1*Mini PCIE-half port slot
Fan: Fanless
Size: 234*150*43mm
I/O: 1*12V DC in/ 4*USB 2.0/ 4*USB
3.0/ 2*HDMI1.4/ 4*RS 232 COM/
2*RJ45 Giga LAN/ 1*MIC/ 1*SPK



GK-6COM

CPU: Intel 4th/ 5th Gen Core i3/ i5/ i7/
Celeron
Memory: 1*DDR3L slot
Storage: 1*MSATA3.0 SSD slot
1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux
Network: 2*Intel i225V 2.5G LAN
WIFI: 1*Mini PCIE-half port slot
Fan: Fanless
Size: 234*150*43mm
I/O: 1*12V DC in/ 4*USB 2.0/ 4*USB
3.0/ 2*HDMI1.4/ 6*RS 232 COM/
2*RJ45 2.5G LAN/ 1*MIC/ 1*SPK/
1*embedded SIM card slot
onboard(optional)

G-Series



G1

CPU: Intel Core i5-4200U/ i7-4500U
Memory: 1*DDR3L slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux
Network: 2*Intel i210 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 210*150*69mm
I/O: 1*12V DC in/ 4*USB 2.0/ 4*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 6*RS232 COM/ 2*RJ45 Giga LAN/ 1*MIC/ 1*SPK/ 1*embedded SIM card slot



G2

CPU: Intel N2920/ N3520
Memory: 1*DDR3L slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux
Network: 2*Intel i211 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 175*125*37mm
I/O: 1*12V DC in/ 4*USB 2.0/ 2*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 2*RS232 COM/ 2*RJ45 Giga LAN/ 1*MIC/ 1*SPK/ 1*micro SIM slot




G3

CPU: Intel 6th/ 7th/ 8th Gen Core i3/ Celeron J1900
Memory: 1*DDR3 slot(J1900)
 1*DDR4 slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10
Network: 2*Intel i211 Giga LAN(Ce-leron)/ 2*Intel i225-V 2.5G LAN(Core)
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 180*120*52.5mm
I/O: 1*12V DC in/ 2*USB 2.0/ 4*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 2*RJ45 LAN (Refer to the Network)/ 6*RS232 COM/ 1*SPK/ 1*MIC/ 1*embedded SIM card slot



G3H

CPU: Intel 6th/ 7th/ 8th Gen Core i3/ Celeron
Memory: 1*DDR3 slot(J1900)
 1*DDR4 slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Win7/ Win10/ WES7/ WES8/ Linux/ VxWorks
Network: 2*Intel i211 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 180*120*52.5mm
I/O: 1*12V DC in/ 4*USB 2.0/ 2*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 2*RJ45 Giga LAN / 6*RS232 COM/ 1*GPIO/ 1*SPK/ 1*MIC/ 1*embedded SIM card slot



G4

CPU: Intel 4th/ 7th/ 8th Gen Core i5/ i7/ Celeron J1900
Memory: 1*DDR4 slot/ 2*DDR4 slot
 (Refer to the CPU)
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux
Network: 2*Intel i211 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 150*83*224mm
I/O: 1*12V DC in/ 4*USB 2.0/ 4*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 2*RS232 COM/ 2*RJ45 Giga LAN/ 1*GPIO/ 1*MIC/ 1*SPK/ 1*SIM card slot/ 1*Reset/ 1*CMOS clear button/ 1*2Pin Phoenix terminal power supply input



G5

CPU: Intel Core i5-4200U/ i7-4500U
Memory: 1*DDR3 slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux
Network: 2*Intel i213 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 220*170*55mm
I/O: 1*12V DC in/ 4*USB 2.0/ 4*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 6*RS232 COM/ 1*GPIO/ 1*LPT/ 2*RJ45 Giga LAN/ 1*MIC/ 1*SPK/ 1*embedded SIM card slot



G5A

CPU: Intel 6th/ 7th/ 8th/ 10th Gen Core i3/ i5/ i7
Memory: 1*DDR4 slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux
Network: 2*Intel i213 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 220*170*55mm
I/O: 1*12V DC in/ 4*USB 2.0/ 4*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 6*RS232 COM/ 1*GPIO/ 1*PS/2 / 2*RJ45 Giga LAN/ 1*MIC/ 1*SPK/ 1*embedded SIM card slot



Some products are ODM products and can be customized according to your needs. If you need different products, please feel free to contact us.



G5B

CPU: Intel Core i5-1035G1/ i7-1065G4
Memory: 1*DDR4 slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux
Network: 2*Realtek RTL 8111DL Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 220*170*55mm
I/O: 1*12V DC in/ 4*USB2.0/ 4*USB 3.0/ 2*HDMI 2.0/ 2*RS232 COM/ 2*RJ45 Giga LAN/ 1 x OPTICAL/ 1*MIC/ 1*SPK/ 1*embedded SIM card slot



G7

CPU: Intel 7th/ 8th/ 10th Gen Core i3/ i5/ i7/ Celeron 3965U/ Pentium 5405U
Memory: 1*DDR4 slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux/ WES 7/ WES 10
Network: 6*Intel i210/i211 Giga LAN/ 6*Intel i225V 2.5G LAN(Refer to the CPU)
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 209*150*57mm
I/O: 1*12V DC in/ 4*USB 3.0/ 1*DB9 RS232 COM/ 1*RJ45 RS232 COM/ 6*RJ45 Giga LAN/ 1*MIC/ 1*SPK/ 1*embedded SIM card



G8

CPU: Intel 4th/ 5th/ 7th/ 8th/ 10th/ 11th Gen Core i3/ i5/ i7
Memory: 1*DDR3 slot(4th/ 5th Gen)/ 2*DDR4 slot
Storage: 1*M.2 NVME SSD+1*MSA-TA3.0 SSD+1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux/ WES 10
Network: 2*Intel i210/ i211 Giga LAN/ 2*Intel i225V 2.5G LAN(Refer to the CPU)
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 249*150*86mm
I/O: 1*3 pin 9~36V phoenix in/ 1*2pin phoenix input/ 1*ATX/ 2*USB 2.0/ 4*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 6*RS232 COM/ 1*GPIO/ 1*PS/2 / 1*LPT (Only 4th/ 5th)/ 2*RJ45 LAN/ 1*MIC/ 1*SPK/ 1*embedded SIM card slot



G10

CPU: Intel 6th/ 7th/ 8th/ 10th Gen Core i3/ i5/ i7
Memory: 1*DDR4 slot
Storage: 1*M.2 NVME SSD slot
 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux
Network: 2*Intel i211V Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 176*150*57mm
I/O: 1*12V DC in/ 4*USB 2.0/ 4*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 6*RS232 COM/ 1*PS/2 / 2*RJ45 LAN/ 1*MIC/ 1*SPK/ 1*embedded SIM card



G12

CPU: Intel 4th/ 6th/ 7th/ 8th/ 10th Gen Core i3/ i5/ i7/ Pentium
Memory: 1*DDR3 slot/ 1*DDR4 slot/ 2*DDR4 slot(Refer to the CPU)
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux/ WES 7/ WES 10
Network: 2*Realtek RTL8111 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 193.9*127*57.2mm
I/O: 1*12-19V DC in/ 4*USB 2.0/ 4*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 2*RS232 COM/ 2*RJ45 Giga LAN/ 1*MIC/ 1*SPK (This product supports customized dual HDMI version)



G14

CPU: Intel 8th/ 10th/ 11th Gen Core i5/ i7/ Celeron J4125
Memory: 1*DDR4 slot(Celeron) 2*DDR4 slot(Core)
Storage: 1*M.2 NVME SSD+1*M.2 SATA SSD+1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Windows 11/ Linux/ WES 10
Network: 2*Intel i225V 2.5G LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 300*155*50mm
I/O: 1*4 pin 9~36V phoenix in/ 1*ATX/ 2*USB 2.0/ 4*USB 3.0/ 1*HDMI 1.4/ 1*EXT IO/ 2*RJ45 2.5G LAN/ 2*DB9 COM/ 1* 4 x Expanded RS232 COM/ 1*Audio Jack



G15

CPU: Intel Core i5-9300H/ i7-9750H/ i5-10200H/ i7-10870H
Memory: 1*DDR4 slot
Storage: 1*M.2 NVME SSD slot
 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD/ SSD slot
OS: Windows 10/ Windows 11/ Linux/ WES 10
Network: 2*Intel i211+i219 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 255*55*80mm
I/O: 1*12V DC in/ 4*USB 2.0/ 4*USB 3.0/ 3*HDMI 1.4/ 6*RS232 COM/ 1*GPIO/ 1*PS/2 / 2*RJ45 Giga LAN/ 1*MIC/ 1*SPK/ 1*embedded SIM card slot





Commercial Mini PC





F1

CPU: Intel Core i3-6100U
Memory: 2*DDR4 slot
Storage: 1*M.2 2242 SATA SSD slot
OS: Windows 10/ Linux/ WES 10
Network: 1*Realtek RTL8111 Giga LAN
WIFI: 1*M.2 PCIE-half slot
Fan: A copper cooling fan
Size: 118*118*42mm
I/O: 1*12V DC in/ 2*USB 2.0/ 3*USB 3.0/ 1*Mini DP/ 1*HDMI 1.4/ 1*RJ45 Giga LAN/ 1*Audio Jack



F2(Thick)



F2N(Thin)

CPU: Intel 4th/ 6th/ 7th Gen Core i3/ i5/ i7
Memory: 1*DDR3 slot/ 1*DDR4 slot (Refer to the CPU)
Storage: 1*M-SATA3.0 SSD slot
 1*SATA 3.0 HDD/ SSD slot(Only F2)
OS: Windows 7/ Windows 10/ Linux
Network: 1*Realtek RTL8168/ 8111/ 8112 Giga LAN
WIFI: 1*Mini PCIE-half slot
Size: 140*127*47mm
Fan: A copper cooling fan
I/O: 1*12V DC in/ 2*USB 2.0/ 4*USB 3.0/ 1*VGA/ 1*HDMI 1.4/ 1*RJ45 Giga LAN/ 1*MIC/ 1*SPK



F3

CPU: Intel 12th/ 13th Gen Core i5/ i7
Memory: 2*DDR5 slot
Storage: 1*M.2 NVME SSD slot
 1*M.2 NVME/ SATA SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 2*Realtek RTL8111 Giga LAN
WIFI: 1*M.2 2230 slot
Fan: A copper cooling fan
Size: 138*126*44mm
I/O: 1*19V DC in/ 2*USB 2.0/ 3*USB 3.2/ 1*DP 1.4/ 1*HDMI 2.0/ 2*RJ45 LAN/ 1*Type-C(DP)/ 1*MIC/ 1*SPK



F7

CPU: Intel 11th/ 12th Gen Core i3/ i5/ i7
Memory: 2*DDR4 slot
Storage: 1*M.2 NVME/ SATA SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 8.1/ Windows 10/ Windows 11/ Linux
Network: 1*Realtek RTL8111 Giga LAN
WIFI: 1*M.2 2230 slot
Fan: A copper cooling fan
Size: 135*125*51mm
I/O: 1*19V DC in/ 2*USB 2.0/ 4*USB 3.2/ 1*Mini DP 1.4/ 2*HDMI 2.0/ 1*Type-C(Thunderbolt 4)/ 1*RJ45 Giga LAN/ 1*MIC/ 1*SPK



F9

CPU: Intel 12th Gen Core i3/ i5/ i7
Memory: 2*DDR4 slot
Storage: 2*M.2 NVME SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 2*intel i225V/ i226V 2.5G LAN
WIFI: 1*M.2 NGFF 2230 slot
Fan: A copper cooling fan
Size: 45.5*175.5*128.5mm
I/O: 1*12-19V DC in/ 2*USB 2.0/
 4*USB3.0/ 1*DP1.4/ 2*HDMI2.0/
 2*RJ45 LAN/ 1*MIC/ 1*SPK



F11

CPU: Intel N100
Memory: Onboard 8G/16G LPDDR5
Storage: 1*M.2 SATA SSD slot
 1*SATA3.0 SSD slot
 1*UFS2.1 slot
OS: Windows 10/ Windows 11/ Ubuntu
Network: 2*Realtek RTL8111 Giga LAN
WIFI: Onboard Dual-Band Wi-Fi
Fan: Intelligent speed control
 ultra-quiet fan
Size: 124.5*112*43.8mm
I/O: 1*12V DC in/ 3*USB2.0/ 1*USB
 3.0/ 1*DP/ 1*HDMI 2.0/ 2*RJ45 Giga
 LAN/ 1*TF Card slot/ 1*Audio Jack



V8

CPU: Intel 4th-7th Gen Core i3/ i5
Memory: 2*DDR3 slot
Storage: 1*MSATA3.0 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 7/ Windows 10/ Linux
Network: 1*Realtek RTL8168/ 8111/
 8112 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 200*200*40mm
I/O: 1*DC in/ 2*USB2.0/ 4*USB 3.0/
 1*VGA/ 1*HDMI 1.4/ 1*RJ45 Giga LAN/
 1*MIC/ 1*SPK



V7(Fanless)

CPU: Intel 8th/ 10th/ 11th/ 12th Gen
 Core i5/ i7
Memory: 2*DDR4 slot
Storage: 1*M.2 NVME SSD+1*MSATA3.0
 SSD+1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux
Network: 1*Realtek RTL8168/ 8111/
 8112 Giga LAN
WIFI: 1*Mini PCIE-half slot
Fan: Fanless
Size: 210*170*45mm
I/O: 1*12V DC in/ 4*USB2.0/ 4*USB
 3.0/ 1*DP 1.2/ 1*HDMI 1.4/ 1*RJ45
 LAN/ 1*MIC/ 1*SPK



S210H

CPU: Intel 10th Gen Core i5/ i7/ i9/
Xeon
Memory: 2*DDR4 slot
Storage: 2*M.2 NVME SSD slot
1*SATA3.0 HDD or SSD slot
OS: Windows 10
Network: 2*Intel i219V/ i211AT Giga
LAN
WIFI: 1*M.2 NGFF 2230 slot
Fan: A cooling fan
Size: 134*144*64mm
I/O: 1*19V DC in/ 2*USB 2.0/ 4*USB
3.0/ 1*Type-C USB 3.1/1*DP 1.4/
1*HDMI 2.0/ 2*RJ45 Giga LAN/
1*Audio Jack



V7(Fan)

CPU: Intel Core i5-1035G4/ i7-1065G7
Memory: 2*DDR4 slot
Storage: 1*M.2 NVME SSD slot
1*MSATA3.0 SSD slot
1*SATA3.0 HDD/ SSD slot
OS: Windows 10/ Linux
Network: 2*Realtek RTL8111 Giga LAN
WIFI: 1*Mini PCIe-half slot
Fan: A Cooling Fan
Size: 210*170*45mm
I/O: 1*12V DC in/ 4*USB2.0/ 4*USB
3.0/ 2*HDMI 1.4/ 2*RJ45 LAN/ 1*SD
Card Reader/ 1*Optical/ 1*MIC/ 1*SPK/
1*embedded SIM card slot (optional)



VX1

CPU: Intel Core i5-8305G/ i7-8705G/
i7-8709G
Memory: 2*DDR4 slot
Storage: 2*M.2 NVME SSD slot
OS: Windows 10/ Linux/ WES 10
Network: Realtek RTL 8111 Giga LAN+
Intel i219 Giga LAN
WIFI: 1*M.2 NGFF slot
Fan: All-copper turbo fan
Size: 228.8*148*51.8mm
I/O: 1*19V DC in/ 4*USB 2.0/ 4*USB
3.0/ 1*Type-C USB 3.1/ 2*Mini DP/
2*HDMI 2.0/ 2*RJ45 Giga LAN/ 1*MIC/
1*SPK(8709G supports 3*HDMI 2.0+
Type-C 4 displays)



VX2

CPU: Intel 8th-12th Gen Core i5/ i7/ i9
Memory: 2*DDR5 slot (Only 12th
Gen)/ 2*DDR4 slot
Storage: 2*M.2 NVME SSD slot
OS: Windows 10/ Linux
Network: 2*Intel i225V/ i225 2.5G LAN
(Only 12th Gen)/ 2*Intel i219 Giga LAN
WIFI: 1*M.2 NGFF Key-E slot
Fan: All-copper turbo fan
Size: 202*130*37mm
I/O: 1*19V DC in/ 4*USB2.0/ 3*USB
3.0/ 1*DP 1.2/ 1*HDMI 1.4(HDMI 2.0
for 11th/ 12th Gen)/ 1*Type-C(DP)/
2*RJ45 LAN/ 1*TF Card/ 1*MIC/ 1*SPK



MU01

CPU: Intel 5th/ 8th/ 10th/ 12th Gen Core i5/ i7
Memory: 2*DDR4 slot
Storage: 1*M.2 2280 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux
Network: 1*Realtek RTL8111 Giga LAN
WIFI: 1*M.2 NGFF 2230 slot
Fan: A copper cooling fan
Size: 128*128*38mm
I/O: 1*19V DC in/ 2*USB 2.0/ 4*USB 3.0/ 1*Type-C USB 3.1/ 1*DP 1.2/
 1*HDMI 1.4/ 1*RJ45 Giga LAN/
 1*Audio Jack



V-Series



V310

CPU: Intel 8th/ 10th Gen Core i3/ i5/ i7
Memory: 2*DDR4 slot
Storage: 1*M.2 NVME/ NGFF SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux
Network: 2*RJ45 Giga LAN
WIFI: 1*Mini PCIE-half port slot/ 1*M.2 NVME/NGFF slot
Fan: A copper cooling fan
Size: 137*150*50mm
I/O: 1*12V DC in/ 4*USB 2.0/ 4*USB 3.0/ 1*Type-C USB 3.0/ 1*DP 1.2/
 1*HDMI 1.4/ 2*RJ45 Giga LAN/ 1*MIC/
 1*SPK/ 1*SD Card Reader



V320

CPU: Intel 7th/ 8th/ 9th/ 10th/ 11th Gen Core i3/ i5/ i7/ i9
Memory: 2*DDR4 slot
Storage: 2*M.2 NGFF SSD slot
OS: Windows 10/ Linux
Network: 2*Realtek RTL8168/ 8111/ 8112 Giga LAN
WIFI: 1*M.2 NGFF 2230 slot
Fan: An ultra-quiet aluminum cooling fan
Size: 137*150*61mm
I/O: 1*DC in/ 6*USB 3.0/ 1*DP 1.2/
 1*HDMI 1.4/ 2*RJ45 Giga LAN/ 1*MIC/
 1*SPK(11th Gen is 4*USB3.0+2*USB2.0)



V320H

CPU: Intel 11th Gen Core i7/ i9
Memory: 2*DDR4 slot
Storage: 2*M.2 NVME SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 2*Intel i226V 2.5G LAN
WIFI: 1*M.2 2230 slot
Fan: An ultra-quiet aluminum cooling fan
Size: 150*140*53mm
I/O: 1*12V DC in/ 6*USB 3.0/
 1*Type-C(DP/ USB)/ 1*DP 1.4/ 1*HDMI
 2.0/ 2*RJ45 2.5G LAN/ 1*MIC/ 1*SPK



V330

CPU: Intel Core i5-1030NG7/ i5-1060NG7
Memory: Onboard LPDDR4 16G
Storage: 1*M.2 NVME SSD slot
OS: Windows 10/ Linux
Network: 4*Realtek RTL8111FH Giga LAN
WIFI: 1*M.2 NGFF 2230 slot
Fan: An ultra-quiet aluminum cooling fan
Size: 117*90*30mm
I/O: 1*12V Type-C power/ 3*USB 3.0/
 1*DP/ 1*HDMI 2.0/ 1*Type-C(DP)/
 4*RJ45 Giga LAN/ 1*Audio Jack

AM-Series



V340

CPU: Intel N100
Memory: 1*DDR5 slot
Storage: 2*M.2 NVME SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 2*Intel i226V 2.5G LAN
WIFI: 1*M.2 2230 slot
Fan: An ultra-quiet aluminum cooling fan
Size: 135*125*40mm
I/O: 1*12V DC in/ 2*USB 3.2/ 3*USB
 2.0/ 1*Type-C(DP/ USB)/ 1*DP 1.4/
 1*HDMI 2.0/ 2*RJ45 2.5G LAN/ 1*MIC/
 1*SPK



AM6

CPU: Intel N100/ N200
Memory: Onboard LPDDR5 16G
Storage: 2*M.2 NVME SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 1*Intel i225 2.5G LAN
WIFI: Intel AX201 WiFi 6
Fan: Ultra-quiet Large fan
Size: 155*80*19mm
I/O: 1*12V Type-C power/ 3*USB 3.2/
 1*Type-C(DP/ USB)/ 1*HDMI 2.0/
 1*RJ45 2.5G LAN/ 1*Audio Jack



AM6S

CPU: Intel N100
Memory: Onboard LPDDR5 12G
Storage: 1*M.2 2242 PCIe/ SATA SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 1*Onboard Giga LAN
WIFI: Support WiFi 6/ Bluetooth 4.2
Fan: Silent Fan+All Copper Heat Sink
Size: 72*72*45mm
I/O: 1*12V Type-C power/ 3*USB 3.0/ 2*HDMI 2.0/ 1*RJ45 Giga LAN/ 1*Audio Jack/ 1*TF Card slot/ 1*Lock hole



AM10

CPU: Intel N100
Memory: Onboard LPDDR5 12G/ 16G
Storage: 1*M.2 NVME/ SATA SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 1*Onboard Giga LAN
WIFI: Intel AX201 WiFi 6
Fan: Built-in all-copper Fan
Size: 142*61*21mm
I/O: 1*12V Type-C power/ 3*USB 3.2/ 2*HDMI 2.0/ 1*RJ45 Giga LAN/ 1*Audio Jack/ 1*Lock hole

S-Series



S1

CPU: Intel N95/ N100
Memory: 1*DDR4 slot
Storage: 1*M.2 2280 NVME SSD slot
 1*M.2 2242 NGFF/SATA SSD slot
OS: Windows10/ Windows10 pro/ Ubuntu/ Linux/ Windows11
Network: 1*Onboard 2.5G LAN
WIFI: Onboard Intel AC 7265 Wi-Fi module
Fan: Built-in all-copper Fan
Size: 108*102*38mm
I/O: 1*DC in/ 4*USB 3.0/ 2*HDMI 2.0/ 1*RJ45 2.5G LAN/ 1*Audio Jack



S1S

CPU: Intel N95/ N100
Memory: Onboard LPDDR5 12G
Storage: 1*M.2 NVME/ NGFF 2242 SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 2*Onboard Giga LAN
WIFI: Intel AX201 WiFi 6
Fan: Ultra-quiet fan
Size: 87*87*39mm
I/O: 1*12V Type-C power/ 3*USB 3.2/ 1*DP 1.4/ 2*HDMI 2.0/ 2*RJ45 Giga LAN/ 1*Audio Jack



S2

CPU: Intel N100
Memory: DDR4 slot up to 32GB
Storage: 1*M.2 2280 NVME SSD slot
 1*M.2 2242 NGFF/SATA SSD slot
OS: Windows 10/ Windows10 pro/
 Ubuntu/ Linux/ Windows11
Network: 1*Onboard 2.5G LAN
WIFI: Intel AX201 WiFi 6
Fan: Built-in all-copper Fan
Size: 108*102*38mm
I/O: 1*12V DC in/ 4*USB 3.2/ 2*HDMI
 2.0/ 1*RJ45 2.5G LAN/ 1*Audio Jack



S2S

CPU: Intel N100/ N200/ i3-N305
Memory: DDR5 slot up to 32GB
Storage: 1*M.2 2280 PCIe3.0 NVME/
 SATA SSD slot
OS: Windows 10/ Windows10 pro/
 Ubuntu/ Linux/ Windows11
Network: 2*Onboard 2.5G LAN
WIFI: Intel AX201 WiFi 6
Fan: Built-in all-copper Fan
Size: 124*113*40mm
I/O: 1*12V Type-C power/ 2*USB3.2/
 2*USB 2.0/ 1*Type-C(DP/ USB)/
 1*HDMI 2.1/ 1*DP 1.4/ 2*RJ45 2.5G
 LAN/ 1*Audio Jack



S2PRO

CPU: Intel 12th/ 13th Gen Core i5/ i7
Memory: 2*DDR4 slot
Storage: 1*M.2 2280 NVME SSD
 1*M.2 2280 SATA/ NGFF SSD
OS: Windows10/ Windows10 pro/
 Windows11/ Ubuntu/ Linux
Network: 1*Intel i226V 2.5G LAN
WIFI: Intel AX201 WiFi 6
Fan: All Copper Heat Sink
Size: 108*102*38mm
I/O: 1*19V DC in/ 3*USB 3.2/ 1*USB
 2.0/ 1*Type-C(DP/ USB)/ 2*HDMI 2.0/
 1*RJ45 Giga LAN/ 1*Audio Jack



S600

CPU: Intel 12th/ 13th Gen Core i7/ i9
Memory: 2*DDR5 slot
Storage: 2*M.2 NVME SSD slot
OS: Windows 10/ windows 10 pro/
 Ubuntu/ Linux/ Windows 11
Network: 2*Intel i225 2.5G LAN
WIFI: Intel AX211 WiFi 6
Fan: Power Cooling Fan
Size: 149*145*49mm
I/O: 1*19V DC in/ 3*USB 2.0/ 3*USB
 3.2/ 1*Type-C/ 1*DP 1.4/ 1*HDMI 2.1/
 2*RJ45 2.5G LAN/ 1*Audio Jack



Gaming Mini PC



MV200

CPU: Intel Core i3-9100F/ i5-9400F/ i7-9700F/ i9-9900T
Video: Nvidia RTX 3050 8G
Memory: 2*DDR4 slot
Storage: 1*M.2 NVME SSD slot
 1*SATA3.0 SSD slot
OS: Windows 8/ Windows 10/ Windows 11/ Sever 2012/ 2016/ Linux/ Ubuntu/ Centos
Network: 1*Intel i211 Giga LAN
WIFI: 1*M.2 NGFF 2230 slot
Fan: All-copper turbo fan
Size: 260*220*55mm
I/O: 1*19V DC in/ 4*USB 2.0/ 4*USB 3.0/ 2*DP 1.4/ 2*HDMI 2.1/ 1*Type-C/ 1*RJ45 Giga LAN/ 1*MIC/ 1*SPK



MV300

CPU: Intel 12th/ 13th/14th Gen Core i5/ i7/ i9
Video: Nvidia RTX 3060 12G/ RTX 4060 8G/ RTX 4060Ti 8G/ RTX 4070 12G
Memory: 2*DDR4 slot
Storage: 1*M.2 NVME SSD slot
 2*SATA3.0 SSD slot
OS: Windows 8/ indows 10/ Sever 2012/ 2016/ Linux/ Centos/ Ubuntu
Network: 2*Realtek RTL8111 Giga LAN
WIFI: 1*M.2 2232 slot
Fan: All-copper turbo fan
Size: 270*215*55mm
I/O: 1*19V DC in/ 4*USB 2.0/ 4*USB 3.0/ 2*DP 1.4/ 2*HDMI 2.1/ 2*RJ45 Giga LAN/ 1*Audio Jack/ 1*Optical



F5

CPU: Intel Core i7-9750H/ i9-9880H/ i9-10880H
Video: Nvidia GTX 1650 4G
Memory: 2*DDR4 slot
Storage: 1*M.2 SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 8.1/ Windows 10/ Linux
Network: 1*Realtek RTL8168/ 8111/ 8112 Giga LAN
WIFI: 1*M.2 NGFF 2230 slot
Fan: Full copper turbo fan
Size: 222*195*39mm
I/O: 1*19V DC in/ 2*USB 2.0/ 4*USB 3.0/ 1*Type-C USB 3.1/ 1*DP 1.2/ 1*HDMI 1.4/ 1*RJ45 Giga LAN/ 1*Audio Jack



F10

CPU: Intel Core i5-12450H/ i7-12700H/ i9-12900H
Video: Nvidia RTX 3050 4G/ 8G RTX 3050ti 4G(only 12900H)
Memory: 2*DDR4 slot
Storage: 2*M.2 NVME SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 1*Intel i225V 2.5G LAN
WIFI: 1*M.2 NGFF 2230 slot
Fan: All-copper turbo fan
Size: 263*303*40mm
I/O: 1*19V DC in/ 2*USB2.0/ 4*USB 3.0/ 1*Type-C/ 1*HDMI1.4/ 1*HDMI 2.0/ 1*RJ45 2.5G LAN/ 1*MIC/ 1*SPK



VX1

CPU: Intel 11th/ 12th Gen Core i7/ i9
Video: Nvidia RTX 3060 12G
Memory: 2*DDR4 slot/ 2*DDR5 slot
 (Refer to the CPU)
Storage: 2*M.2 NVME SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 2*Intel i225V/ i226V 2.5G LAN
WIFI: 1*M.2 2232 slot
Fan: All-copper turbo fan
Size: 228.8*148*56.8mm
I/O: 1*12V-19V DC in/ 2*USB 2.0/
 5*USB 3.2 Gen2/ 3*HDMI 2.0/ 1*Type-C
 (USB)/ 2*RJ45 2.5G LAN/ 1*MIC/
 1*SPK/ 1*SD Card




V7


CPU: Intel Core i7-10870H/ i9-10980HK
Video: Nvidia GTX 1660S 6G/ RTX
 3060M 12G/ RTX 4060 8G
Memory: 2*DDR4 slot
Storage: 2*M.2 NVME SSD slot
 1*SATA 3.0 SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 2*Intel Giga LAN
WIFI: 1*M.2 NGFF slot
Fan: All-copper turbo fan
Size: 320*240*57mm
I/O: 1*19V DC in/ 6*USB 2.0/ 2*USB
 3.0/ 2*DP/ 2*HDMI/ 1*Type-C/ 2*RJ45
 Giga LAN/ 1*MIC/ 1*SPK



V7-2

CPU: Intel 12th/ 13th Gen Core i5/ i7
Video: Nvidia GTX 1660S 6G/ RTX
 3060M 12G/ RTX 4060 8G
Memory: 2*DDR5 slot
Storage: 2*M.2 NVME SSD slot
 1*SATA 3.0 SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 2*Intel Giga LAN
WIFI: 1*M.2 NGFF slot
Fan: All-copper turbo fan
Size: 320*240*57mm
I/O: 1*19V DC in/ 6*USB 2.0/ 2*USB
 3.0/ 2*DP/ 2*HDMI/ 1*Type-C/ 2*RJ45
 Giga LAN/ 1*MIC/ 1*SPK





AMD Series Mini PC



A1

CPU: AMD Ryzen 7 3750H
Memory: 2*DDR4 slot
Storage: 1*M.2 NVME SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux
Network: 1*Realtek RTL8821CE LAN
WIFI: 1*M.2 NGFF 2230 slot
Fan: A turbo cooler fan
Size: 127.6*127.6*48.3mm
I/O: 1*19V DC in/ 2*USB 2.0/ 3*USB
 3.0/ 1*DP 1.4/ 1*HDMI 2.0/ 1*Type-C/
 1*RJ45 LAN/ 1*MIC/ 1*SPK



A2

CPU: AMD Ryzen 7 4800H
Memory: 2*DDR4 slot
Storage: 1*M.2 NVME SSD slot
 2*SATA3.0 HDD or SSD slot
OS: Windows 10/ Linux
Network: 1*Realtek RTL8821CE Giga LAN
WIFI: 1*M.2 NGFF 2232 slot
Fan: Turbo cooler
Size: 198*198*48mm
I/O: 1*19V DC in/ 4*USB 2.0/ 2*USB
 3.0/ 1*DP 1.4/ 1*HDMI 2.0/ 1*Type-C/
 1*RJ45 Giga LAN/ 1*MIC/ 1*SPK



A4

CPU: AMD Ryzen 5 4500H
Memory: 2*DDR4 slot
Storage: 1*M.2 NVME SSD slot
 1*SATA3.0 HDD or SSD slot
OS: Windows 10
Network: 2*Realtek RTL8111 Giga LAN
WIFI: 1*M.2 NGFF 2232 slot
Fan: Silent turbo cooler
Size: 133*133*50mm
I/O: 1*Type-C power 65W/ 2*USB 2.0/
 2*USB 3.0/ 1*DP 1.4/ 1*HDMI 2.0/
 1*Type-C/ 2*RJ45 Giga LAN/ 1*Audio
 Jack



A6

CPU: AMD Ryzen 5 5600H
Memory: 2*DDR4 slot
Storage: 1*M.2 NVME SSD slot
 1*M.2 SATA SSD slot
OS: Windows 10/ Windows 11/ Linux
Network: 1*Realtek RTL8168/ 8111/
 8112 Giga LAN
WIFI: 1*M.2 NGFF 2230 slot
Fan: Turbo cooler
Size: 114*106*42.5mm
I/O: 1*19V DC in/ 4*USB 2.0/ 1*Type-C/
 2*HDMI 2.0/ 1*RJ45 Giga LAN/
 1*Audio Jack



*The mini and compact body
is easy for you to carry, and
the powerful performance
meets all your needs.*



S500+

CPU: AMD Ryzen 5000 series R3/ R5/
R7/ R9
Memory: 2*DDR4 slot
Storage: 1*M.2 2280 SSD slot
1*SATA3.0 HDD or SSD slot
OS: Windows 10/ Windows 10 pro/
Windows 11/ Ubuntu/ Linux
Network: 2*Realtek RTL8111 Giga LAN
WIFI: 1*M.2 NGFF 2230 slot
Fan: Power Cooling Fan
Size: 150*145*40mm
I/O: 1*19V DC in/ 4*USB 2.0/ 2*USB
3.2/ 1*DP 1.4/ 1*HDMI 2.0/ 1*Type-C/
2*RJ45 Giga LAN/ 1*Audio Jack



VX2

CPU: AMD R5-5625U/ R7-5800U/
R7-5800H/ R9-5900HX
Memory: 2*DDR4 slot
Storage: 2*M.2 NVME SSD slot
OS: Windows 10/ Linux
Network: 1*Intel i225V/i226 2.5G LAN
WIFI: 2*M.2 NGFF 2230 slot
Fan: All-copper turbo fan
Size: 225*145*45mm
I/O: 1*19V DC in/ 4*USB 2.0/ 3*USB
3.0/ 1*DP 1.2/ 1*HDMI 2.0/ 1*Type-C/
1*RJ45 2.5G LAN/ 1*MIC/ 1*SPK



M600

CPU: AMD Ryzen 6000/ 7000 Series
R5/ R7/ R9
Memory: 2*DDR5 slot
Storage: 2*M.2 2280 NVME SSD slot
1*SATA 3.0 SSD/ HDD slot
OS: Windows10/ Windows10 pro/
Ubuntu/ Linux/ Windows11
Network: 2*RTL8125bg 2.5G LAN
WIFI: Intel AX201 WiFi 6
Fan: Power Cooling Fan
Size: 149*145*40mm
I/O: 1*19V DC in/ 3*USB 2.0/ 3*USB
3.2/ 1*DP 1.4/ 1*HDMI 2.1/
1*Type-C(Thunderbolt 3)/ 2*RJ45 2.5G
LAN/ 1*MIC/ 1*SPK